

Work Order ID 137361

September 25, 2015 8:54:33 AM

D4857-041
B137361
REV. F

137361

Ship Oct 27/15

Page 1

Item ID: D4857-041

Revision ID:

Item Name: Wiper Deflector Assembly

Start Date: 9/25/2015 Start Qty: 8.00

Required Date: 10/22/2015 Req'd Qty: 8.00

Reference:

Accept

N900040100

Setup Start

NS1

Stop

NS2

Cust Item ID:

Customer:

Approvals:

Process Plan:

SH

Date:

20150925

Tooling:

Date:

QC:

Date:

SPC (Y/N):

Date:

Run Start

NR1

Stop

NR2

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

Draw Nbr

Revision Nbr

D4857

REV F

110

0.00

110

Small Fab

Memo

0.00

Small Fab

Drill holes for D4857-1 as per dwg using DT10028

8 FF

OCT 26 2015

120

QC5- Inspect part completeness to step on W/O

0.00

120

QC

Memo

0.00

Quality Control

8

DAS
38
9-29
OCT 26 2015

130

0.00

130

HandFinish

Memo

0.00

Hand Finishing

Touch up holes with primer as per dwg

A/R PRIMER BATCH: 131277

8

DAS
41
9-29
15-10-28

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐	☐	No Re-verification ☐	☐	Pressure/Forced ☐	☐	Temperature/Cure ☐	☐
Design ☐	☐	Operator ☐	☐	Bending ☐	☐	Set-up ☐	☐
Doc/Data ☐	☐	Offset/Setup ☐	☐	Centre Not Concentric ☐	☐	BOM/Route ☐	☐
Equip/Tooling ☐	☐	Supplier ☐	☐	Cracks ☐	☐	Broken/Damage/Defect ☐	☐
Handling/Pre ☐	☐	Training ☐	☐	Crimp/Kink/Ripple/Wave ☐	☐	Inspection Incomplete/Unqualified ☐	☐
Material ☐	☐	Use for Testing ☐	☐	Cuffs ☐	☐	Contamination ☐	☐
Internal Transport ☐	☐	Poor Information ☐	☐	Crushing ☐	☐	Countersink ☐	☐
Tribal Knowledge ☐	☐	Rushing ☐	☐	Heat Treat ☐	☐	Cut Too Short ☐	☐
LOA ☐	☐	Product Improvement ☐	☐	Wave/Twist in Tube ☐	☐	Instructions Incomplete/Unclear ☐	☐
Substation ☐	☐	Process Improvement ☐	☐	Marks/Chatter ☐	☐	Drill Holes ☐	☐
Past Expiry Date ☐	☐	Manufacturing Process ☐	☐	OTHER : _____			
Misidentified ☐	☐	Past Due ☐	☐				

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐	☐	No Re-verification ☐	☐	Pressure/Forced ☐	☐	Temperature/Cure ☐	☐
Design ☐	☐	Operator ☐	☐	Bending ☐	☐	Set-up ☐	☐
Doc/Data ☐	☐	Offset/Setup ☐	☐	Centre Not Concentric ☐	☐	BOM/Route ☐	☐
Equip/Tooling ☐	☐	Supplier ☐	☐	Cracks ☐	☐	Broken/Damage/Defect ☐	☐
Handling/Pre ☐	☐	Training ☐	☐	Crimp/Kink/Ripple/Wave ☐	☐	Inspection Incomplete/Unqualified ☐	☐
Material ☐	☐	Use for Testing ☐	☐	Cuffs ☐	☐	Contamination ☐	☐
Internal Transport ☐	☐	Poor Information ☐	☐	Crushing ☐	☐	Countersink ☐	☐
Tribal Knowledge ☐	☐	Rushing ☐	☐	Heat Treat ☐	☐	Cut Too Short ☐	☐
LOA ☐	☐	Product Improvement ☐	☐	Wave/Twist in Tube ☐	☐	Instructions Incomplete/Unclear ☐	☐
Substation ☐	☐	Process Improvement ☐	☐	Marks/Chatter ☐	☐	Drill Holes ☐	☐
Past Expiry Date ☐	☐	Manufacturing Process ☐	☐	OTHER : _____			
Misidentified ☐	☐	Past Due ☐	☐				

Work Order ID 137361

September 25, 2015 8:54:33 AM

137361

Page 3

Item ID: D4857-041

Accept

N900040100

Setup Start

NS1

Revision ID:

Item Name: Wiper Deflector Assembly

Stop

NS2

Start Date: 9/25/2015 Start Qty: 8.00

8

Cust Item ID:

Required Date: 10/22/2015 Req'd Qty: 8.00

8

Customer:

Reference:

Approvals:

Process Plan: _____

Date: _____

Tooling: _____

Date: _____

Run Start

NR1

QC: _____

Date: _____

SPC (Y/N): _____

Date: _____

Stop

NR2Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

170

Identify as per dwg & Stock Location: CCL 130

0.00

170

Packaging

Memo

0.00

Packaging

8

DAS
6
9-30

OCT 30 2014

180

QC21- Final Inspection - Work Order Release

0.00

180

QC

Memo

0.00

Quality Control

MCS

OCT 30 2015

SJA 20151030

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐		OTHER : _____					

September 25, 2015 8:54:39 AM

137361

D4857-041



Required Date: 10/22/2015

Required Qty: 8.00

Comments: IPP REV:A NEW ISSUE 13-07-17 JLM VERIFIED BY:DD
REV:B AS PER REV F JLM VERIFIED BY:DD

[illegible]

ITEM	QTY -041	P/N	DESCRIPTION
	X	D4857-041	WIPER DEFLECTOR ASSY
1	1	D4857-1	WIPER DEFLECTOR
2	2	D4944-1	GASKET



D4857-041 WIPER DEFLECTOR ASSY Δ

RELEASED

2015 JUN 08

EC N 15-562 *mm*

20150925

SH 137361

F	SHT 1 ADDED -041. ADDED D4857-2M (SHEET 8) AND RELABELED D4857-M TO D4857-1M (ZN B8-7). UPDATED D4757-044 (ZN B5-3). REVISED NOTES 1, 8 AND 10 (ZN A8-4, ZN A8-5, ZN A8-6, ZN A8-7, ZN A8-8). UPDATE PART WEIGHTS	AK / AJS	15.06.03
E	REVISE NOTE 6) (ZN A8-1, A8-2, A8-3); AND NOTE 8) (ZN A8-1, A8-2, A8-3)	AK	14.06.05
D	ADDED D4857-043 (ZN C7-1), D4857-044 (ZN C7-2), D4857-3 (ZN C7-4), D4857-4 (ZN C7-5) AND D4857-M (ZN C7-6)	AK	14.05.13
C	ADDED 4 MOUNTING HOLES	DW	13.12.09
B	REVISED BOM, DRAWING VIEWS, NOTES	PB	13.08.13
A	NEW RELEASE	DB	13.05.23
REV.	DESCRIPTION	BY	DATE



DESIGN	DW	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	CP	DRAWING NO.	REV. F
MFG. APPR.	DD	D4857	SHEET 1 OF 8
APPROVED	WM	TITLE	SCALE
DE APPR.	DS	WIPER DEFLECTOR	NTS
DATE	15.06.03	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

APPROVED

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED, ALL METRIC DIMENSIONS ARE REFERENCE DIMENSIONS.
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N D4857-041, REVISION, BATCH NUMBER, AND DATE OF MANUFACTURE, AS PER QSI 044 METHOD 6.1
- 7) WEIGHT: 0.38 lbs (0.17 kg)
- 8) BOND D4944-1 GASKETS TO EDGE OF PART USING DOW CORNING 736 ADHESIVE

ITEM	QTY -043	P/N	DESCRIPTION
	X	D4857-043	WIPER DEFLECTOR ASSEMBLY, LH
1	1	D4857-3	WIPER DEFLECTOR LH
2	1	D5117-1	GASKET
3	1	D5117-3	GASKET



D4857-043 WIPER DEFLECTOR ASSEMBLY, LH

RELEASED

2015 JUN 08



NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED, ALL METRIC DIMENSIONS ARE REFERENCE DIMENSIONS.
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N D4857-043, REVISION, BATCH NUMBER, AND DATE OF MANUFACTURE, AS PER QSI 044 METHOD 6.1
- 7) WEIGHT: 0.38 lbs (0.17 kg)
- 8) BOND D5117-1/-3 GASKETS TO EDGE OF PART USING DOW CORNING 736 ADHESIVE

APPROVED

DESIGN		DART AEROSPACE LTD	
DRAWN	AJS	HAWKESBURY, ONTARIO, CANADA	
CHECKED	CP	DRAWING NO.	REV. F
MFG. APPR.	DD	D4857	SHEET 2 OF 8
APPROVED	WM	TITLE	SCALE
DE APPR.	DS	WIPER DEFLECTOR	NTS
DATE	15.06.03	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	

ITEM	QTY -044	P/N	DESCRIPTION
	X	D4857-044	WIPER DEFLECTOR ASSEMBLY, RH
1	1	D4857-4	WIPER DEFLECTOR
2	1	D5117-5	GASKET
3	1	D5117-7	GASKET



D4857-044 WIPER DEFLECTOR ASSEMBLY, RH

NOTES:



- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED, ALL METRIC DIMENSIONS ARE REFERENCE DIMENSIONS.
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N D4857-044, REVISION, BATCH NUMBER, AND DATE OF MANUFACTURE, AS PER QSI 044 METHOD 6.1
- 7) WEIGHT: 0.38 lbs (0.17 kg)
- 8) BOND D5117-5/-7 GASKETS TO EDGE OF PART USING DOW CORNING 736 ADHESIVE

APPROVED

DESIGN	DW	DART AEROSPACE LTD	
DRAWN	AJS	HAWKESBURY, ONTARIO, CANADA	
CHECKED	CP	DRAWING NO.	REV. F
MFG. APPR.	DD	D4857	SHEET 3 OF 8
APPROVED	WM	TITLE	SCALE
DE APPR.	DS	WIPER DEFLECTOR	NTS
DATE	15.06.03	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

RELEASED

2015 JUN 08



D4857-1 WIPER DEFLECTOR

RELEASED



2015 JUN 08

NOTES:

- 1) MATERIAL: MADE FROM D4857-M
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED, ALL METRIC DIMENSIONS ARE REFERENCE DIMENSIONS.
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.35 lbs (0.16 kg)
- 8) PART DIMENSIONS CONTROLLED BY CAD MODEL FILE D4857-1-F.IGES

APPROVED

DESIGN	DW	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	CP	DRAWING NO.	REV. F
MFG. APPR.	DD	D4857	SHEET 4 OF 8
APPROVED	WM	TITLE	SCALE
DE APPR.	DS	WIPER DEFLECTOR	NTS
DATE	15.06.03	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



D4857-3 WIPER DEFLECTOR, LH

RELEASED



2015 JUN 08

NOTES:

- 1) MATERIAL: MADE FROM D4857-M
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED, ALL METRIC DIMENSIONS ARE REFERENCE DIMENSIONS.
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.35 lbs (0.16 kg)
- 8) PART DIMENSIONS CONTROLLED BY CAD MODEL FILE D4857-3-F.IGES

APPROVED

DESIGN	DW	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	CP	DRAWING NO.	REV. F
MFG. APPR.	DD	D4857	SHEET 5 OF 8
APPROVED	WM	TITLE	SCALE
DE APPR.	DS	WIPER DEFLECTOR	NTS
DATE	15.06.03	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



D4857-4 WIPER DEFLECTOR, RH

RELEASED



2015 JUN 08

NOTES:


- 1) MATERIAL: MADE FROM D4857-M
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED, ALL METRIC DIMENSIONS ARE REFERENCE DIMENSIONS.
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.35 lbs (0.16 kg)
- 8) PART DIMENSIONS CONTROLLED BY CAD MODEL FILE D4857-4-F.IGES

APPROVED



DESIGN	DW	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	CP	DRAWING NO.	REV. F
MFG. APPR.	DD	D4857	SHEET 6 OF 8
APPROVED	WM	TITLE	SCALE
DE APPR.	DS	WIPER DEFLECTOR	NTS
DATE	15.06.03	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



SECTION A-A



DETAIL B



D4857-M WIPER DEFLECTOR

RELEASED

2015 JUN 08


NOTES:

- 1) MATERIAL: KEVLAR #285/353 4H SATIN, EPOXY PREPREG, 250°F CURE, 40% R/C
- 2) MATERIAL: CARBON FIBER PREPREG, ALDILA PREPREG SYSTEM 3K2X2-FR250-204/40 T300,
- 3) MATERIAL: ALDILA #120 E-GLASS AR250 WITH 48% RC;
- 4) FINISH: PRIMER IAW MIL-P-85582, 2-7 MIL MAX.
- 5) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 6) UNITS: INCHES UNLESS OTHERWISE NOTED, ALL METRIC DIMENSIONS ARE REFERENCE DIMENSIONS.
- 7) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 8) IDENTIFICATION: N/A
- 9) WEIGHT: 0.35 lbs (0.16 kg)
- 10) PART DIMENSIONS CONTROLLED BY CAD MODEL FILE D4857-M-F.IGES
- 11) SEE SHEET 8 FOR LAYUP SCHEDULE. MANUFACTURE IAW MPP 145. CURE 250°F FOR 4 HOURS.

APPROVED


DESIGN	DW	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	CP	DRAWING NO.	REV. F
MFG. APPR.	DD	D4857	SHEET 7 OF 8
APPROVED	WM	TITLE	SCALE
DE APPR.	DS	WIPER DEFLECTOR	NTS
DATE	15.06.03	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY MANNER WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

8 7 6 5 4 3 2 1



LAYUP OF LAYERS (DOME)

LAMINATE - .108in (12 LAYERS)			
PLY	WARP ANGLE	MATERIAL	THICKNESS
01	90	1	.008-.010
02	0	1	.008-.010
03	90	2	.008-.010
04	0	2	.008-.010
05	90	2	.008-.010
06	0	2	.008-.010
07	90	2	.008-.010
08	0	2	.008-.010
09	90	2	.008-.010
10	0	2	.008-.010
11	90	2	.008-.010
12	0	2	.008-.010



LAYUP OF LAYERS (FLANGE)

LAMINATE - .189in (21 LAYERS)			
PLY	WARP ANGLE	MATERIAL	THICKNESS
01	90	1	.008-.010
02	0	1	.008-.010
03	90	2	.008-.010
04	0	2	.008-.010
05	90	2	.008-.010
06	0	2	.008-.010
07	90	2	.008-.010
08	0	2	.008-.010
09	90	2	.008-.010
10	0	2	.008-.010
11	90	2	.008-.010
12	0	2	.008-.010
13	90	2	.008-.010
14	0	2	.008-.010
15	90	2	.008-.010
16	0	2	.008-.010
17	90	2	.008-.010
18	0	2	.008-.010
19	90	2	.008-.010
20	0	2	.008-.010
21	90	3	.005

RELEASED

2015 JUN 08

APPROVED

DESIGN	DW	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	CP	DRAWING NO. D4857	REV. F SHEET 8 OF 8
MFG. APPR.	DD	TITLE WIPER DEFLECTOR	SCALE NTS
DE APPR.	DS	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	
DATE	15.06.03		